Texas Pollutant Discharge Elimination Systems (TPDES)

Construction **Storm Water Pollution Prevention Plan**

Worksheets
DRAFT (12/02/03)

Responsibilities of Operators;

Control Over Construction Plans and Specifications Part III Sect. B.1.(a)-(d)

Responsibility: The project specifications must include adequate development of Best Management Practices to meet the general permit's SWP3 requirements outlined in Part III.

the general permit's 5 W1 5 requirements outlined in 1 art 111.
Describe how this requirement is met:
Responsibility: The SWP3 must list the project areas where you have operational control over project specifications (including the ability to make modifications during inspections)
Describe how this requirement is met:
Responsibility: When project specifications are changed, ensure all other operators affected by these changes are notified in a timely manner so that they may modify Best Management Practices to remain compliant with the permit's conditions.
Describe how this requirement is met:
Responsibility: The SWP3 must list the names and TPDES permit numbers of all operators with day-to-day operational control over activities necessary to ensure compliance with the SWP3 and any other permit condition. (NOTE: If responsible parties have not been identified, the permittee with operational control over project specifications will be temporarily considered the responsible party. This will remain in effect until the authority is transferred and the plan is updated.)
Describe how this requirement is met:
I certify this information to be true and accurate to the best of my knowledge, and I am authorized to sign as a company representative in accordance with 30 TAC§ 305.128. (Use additional sheets for signatures as needed.)
Name/Title: Company: TPDES #: Contact Phone #: Date:

Responsibilities of Operators;

Day-to-Day Operational Control Part III, Sect. B.2.(a)-(d)

Responsibility: The S	WP3 must meet the general permi	it's requirements as descri	ibed in Part III.	
Describe how this requ	nirement is met for portions of the	project where you are the	e operator:	
Responsibility: The S described in the plan.	WP3 must identify the people resp	oonsible for implementing	the Best Management Pr	actices
Describe how this requ	irement is met, or list responsible	individuals for BMP imple	ementation:	
	WP3 must indicate areas of the pr SWP3, ensure all operators and th	3	-	-to-day
Describe how this requ	nirement is met:			
-	WP3 must list the names and TPE including the ability to modify spe		ople with operational cor	ntrol over
Describe how this requ	nirement is met for areas where yo	u have operational control	l over day-to-day activition	es:
	on to be true and accurate to the bedance with 30 TAC§ 305.128. (U.	-	_	as a company
Name/Title:	Company:	TPDES #:	Contact Phone #:	Date:

Part III, Sect. F.1.(a) Site Description

a.)	Describe the nature of your construction activities, the potential pollutants, and their sources. Include ALL construction activities. Be as thorough as possible. Use additional sheets as needed to describe in detail.

Part III Sect. F.1.b Site Description

b.) Describe the intended schedule, or a sequence of the major activities that will be disturbing soil for the major portions of the site.

Phase of Project (projected dates month/year)	Activity Disturbing Soil (clearing, excavating, grading, construction?)	Location On-Site (describe where activity will be conducted)	Acreage being disturbed by activity

Part III Sect. F.1.c-d Site Description

c.) What is the total acreage of the entire property and the total acreage where construction activity will occur? Include and describe any off-site material storage areas, overburden and stockpiles of dirt or aggregates, and borrow areas.

Material Storage	Material(s)	Acreage	Location			
Off-Site Material Storage						
On-Site Material Storage						
Overburden/Stockpil es of Dirt						
Borrow Areas						
Other areas used as part of the project (list)						
Total acreage of the pro	ject property:	Total acreage of soil d	isturbance:			
d.) Describe the soil type at the site (loamy, clay, rocky, sandy), or the quality of any discharge from the site.						

Part III Sect. F.1.e Location Site Map

Attach Map

Part III Sect. F.1.f(I)-(vii) Detailed Site Map(s)

Attach Map(s)

Part III Sect. F.1.(g)-(h) Site Description - Support Facilities

g.) If this permit authorizes any asphalt or concrete batch plants that support the construction site, describe these plants and their locations.

Facility	Description	Location
Asphalt Plants		
Concrete Plants		
Other Support Facility (list)		

h.) Any receiving waters <u>at or near</u> the site that will be disturbed or that will receive discharges from the project's disturbed areas, list them here.

Name of Receiving Water	Nature of Disturbance	Location of Receiving water

Part III Section F.2.a.(I)-(iii) Best Management Practices (BMPs)

a.i-iii.) Erosion and Sediment Controls designed to retain sediment. (Make copies or use additional sheets as necessary.)

BMPs Installed	Lo	ocation(s) On-Site	Inspection / Maintenance Schedule	Modifications / Replacement Activities
Are there sedimentation ponds or channels If yes, list the measures taken to reduce the				No 🗆
Prevention Measure		Location Or	1-Site	Implementation Date

^{*} Part III Section F.2.a.iii, Sediment must be removed from sediment traps and ponds no later than the time that the design capacity has been reduced by 50%

Part III Section F.2.a.(v) Best Management Practices (BMPs)

a.v.) Good housekeeping practices implemented to limit the off-site transport of litter, construction debris, and construction materials.

Litter Controls:				
Good Housekeeping Activity	Location(s) On-Site			
Construction Debris Controls:				
Good Housekeeping Activity	Locations On-Site			
Construction Material Controls:				
Good Housekeeping Activity	Locations On-Site			

Part III Section F.2.b.(I) & (iii) Best Management Practices (BMPs)

b.i., b.iii) Stabilization practices may include, but are not limited to: establishing temporary or permanent vegetation, mulching, geotextiles, sod stabilization, vegetative buffer strips, and protecting existing trees and vegetation. List practices used, where they are located, when they will be implemented, and whether they are temporary (interim) or permanent.

Stabilization Practices	Location On-Site	Implementation Date	Interim or Permanent

Part III Section F.2.b.(ii) Best Management Practices (BMPs)

b.ii) If you do not list activities be accessed:	low, either attac	th documentation or state	where records for	the acti	vities can be
Documentation attached?	Yes □ No □				
Section of SWP3 if not in this sect	ion				
Where can documentation be foun	d (if not include	ed in SWP3)?			
Contact Person		Phone Number			
Dates when major grading acti	vities will occu	r and locations on-site:			
Activity		Locatio	n		tes when Activity is cheduled to Occur
Dates when construction activi	ty will tempora	arily or permanently cea	ase:		
Location on-site	Date activ	vity is to be stopped	Temporary Permanent		Stabilization Initiation Date

Part III Section F.3.(a)-(b) Structural Control Practices

3.) Structural Control Practices.					
Will the project disturb 10 acres or more at	one tim	e? Yes	□ No □		
If yes, is it feasible to install a sediment basi	n?	Yes	□ No □		
Calculate the volume of runoff from a 2-year	ar, 24-h	our storm ev	rent. Volume of sediment basin:		
In determining feasibility have you considered	ed (attac	ch any additi	onal justification in determining feasibility):		
Site Factor	Con	sidered?	Site Factor	Considered?	
Site Soils			Precipitation pattern		
Slope			Site geometry		
Available area			Site vegetation		
Public safety			Geotechnical factors		
Groundwater depth			Infiltration capacity		
Other? (list)			Other? (list)		
If a sediment basin is not feasible, we will u	ise thes	e other struc	etural control practices:		
		Used?	- Francisco		
Structural Control		(Y/N)	Location On-Site		
A series of smaller sediment basins					
Silt fences					
Vegetative buffer strips					
Sediment traps					
Other (list):					
Other (list):					
Other (list):					

Other (list):

Part III Section F.4. Permanent Storm Water Controls

4.) The following measures will be constructed to control post-construction runoff:

Control Measure	Location on Project Site	Control runoff from what areas

Part III Section F.5.(a)-(b) Other Storm Water Controls

5.a.) Controls to minimize dust generation and off-site tracking of sediment:

Control Practice used	Location(s) On-Site

5.b.) The following construction and waste materials will be stored on-site:

Average Amount Stored	Location On-Site	Controls Used to Prevent Pollutants
	Amount	Amount Location On-Site

Part III Section F.5.(c)-(d) Other Storm Water Controls

c.) Describe pollutant sources from areas other than construction (make additional copies of this worksheet as needed):

Type of pollutant source	Pollutant(s)	Control(s) or measure(s) used to minimize pollutants
Asphalt Hot Plant (example)		
Concrete Batch Plant (example)		

d.) Describe the velocity dissipation devices that will be placed at discharge locations and/or along the length of any outfall channels:

Dissipation Device (hay bales, silt fence, pond, etc)	Outfall Discharging to (MS4, bar ditch, creek/stream)	At Outfall or Channel (distance interval for channel)

Part III Section F.8.(c)-(d) Inspection of Controls Forms

Complete this form and retain in your SWP3 every 7 days; **OR**, every 14 days and within 24 hours of a ½ inch rainfall event.

Inspector(name/title):		ection Date:	Day:	Time: am/pm
Scope of inspection: 14 Day Inspection □ Weekly Ins	spection \square Day	of week normally con	ducted:	0.5 Rainfall Event □
Inspection Type:	Inspected? (Y/N)	(1		of Concern n the narrative section)
Disturbed Soil Areas				
Material Storage Areas				
Structural Controls				
Sediment & Erosion Controls				
Entrance(s) and Exit(s)				
Discharges:				
Nature of discharge (silt, gravel, sand, other p	pollutant)		Location	on-site of discharge

Part III Section F.8.(c)-(d)

Inspection of Controls Forms (cont'd)

Complete this form and retain in your SWP3 every 7 days; **OR**, every 14 days and within 24 hours of a ½ inch rainfall event.

Best Management Practices Inspected: (make additional copies of form if needed)

BMP and Location	OK (no action required)	BMP failed (describe failure)	Required Maintenance (describe corrective actions needed)	
	Additional BMPs Needed			
Location		Best Management Practice	Replacing Existing BMP?	

Part III Section F.8.d Inspection Narrative Description/Certification

Complete this form and retain in your SWP3 every 7 days; **OR**, every 14 days and within 24 hours of a ½ inch rainfall event.

Describe the inspectors qualifications to condu	act the inspections:
Describe how your inspection was conducted:	
Describe all incidents of non-compliance (i.e.	major discharges, BMP failures):
	of non-compliance, the report must contain a certification that the facility o ution prevention plan and this permit. The report must be signed by the § 305.128 (relating to Signatories to Reports)
Name/Title:	Date:

Part III Section F.9 Eligible Non-storm Water Discharges (listed in Part II.3.[a]-[g])

Eligible Non-storm Water Discharge	Used? (Y/N)	Pollution Prevention Measure(s)	Implementation Date
Fire Fighting Activities			
Fire Hydrant Flushings			
Washing of Vehicles, Buildings, or Pavement			
(see description in Part II.3.[c])			
Prot Control			
Dust Control			
Potable Water Sources (water line flushings)			
Air Conditioning Condonsate			
Air Conditioning Condensate			
Uncontaminated Ground/Spring Water			
Other? (List)			

List any other non-storm water discharge permitted by a separate NPDES, TPDES, or TCEQ permit:

Non-storm Water Discharge	Pollution Prevention Measure	Implementation Date